



# TECHNICAL DATA SHEET

## CP FILLABLE AEROSOL CAN

### PRODUCT DESCRIPTION

Concept's CP Fillable Aerosol Can is an injectable aerosol suitable for use with a variety of mixed colours.

### PRODUCT AND ADDITIVES

- Concept CP Fillable Aerosol Can

### SUITABLE FOR

- Concept Unicolour 900 2K Basecoat system.
- Concept No Mix system.
- Concept Unicryl 3000 series.

### MIXING RATIO

- Inject 80 to 100 g of mixed colour into the CP Fillable Aerosol Can.
- Invert and shake the can thoroughly, until the agitation ball can be heard (two to three minutes). Continue to shake the can during application.

### SUITABLE SUBSTRATES

- Concept Acrylic Primer Spraypak
- Concept 1K Etch Primer Spraypak
- Sound existing surfaces, except for weak surfaces such as nitrocellulose or enamels.

## APPLICATION

- Spray in an even overlapping pattern from a distance of approximately 25 centimetres.
- Apply two to three even coats to gradually increase film thickness.
- Avoid heavy coats which may run.
- Allow 5 minutes flash off between coats.

<b>Drying @ 25°C:</b>	30 - 40 Minutes
-----------------------	-----------------

- Can be topcoated with a clear coat after 30 - 40 minutes.

## AFTER USE

- Turn the can upside down and spray until the jet clears.
- Any over spray maybe cleaned up with Mineral Turps.

## TECHNICAL INFORMATION

<b>COLOUR:</b>	Clear Thin Liquid
<b>VOC:</b>	467 g/L
<b>PACKAGING:</b>	300g
<b>ITEM CODE:</b>	A02C/SPRCAN/300G
<b>SHELF LIFE:</b>	12 Months

The above information is reliable and accurate to the best of our knowledge at the time of preparation. Any recommendations or suggestions made are without warranty or guarantee. Users assume all responsibility since the conditions of use are beyond our control.

**REVISED: 7 March 2013**

**REPLACES ISSUE:**

***CP Fillable Aerosol Can***

***Page 2 of 2***