

Date: 4<sup>th</sup> December 2025



# Technical Data Sheet

Version:02

| Product Name      |   |
|-------------------|---|
| Full Product Name | Brake Cleaner   |
| Type of Product   | A cleaner for Brakes and Parts  |
| Description       | Brake Cleaner is a high-performance, fast-evaporating solvent blend designed to remove brake fluid, grease, oil, and other contaminants from brake and parts components. It cleans without leaving residue, ensuring optimal braking performance and reducing noise caused by dirt buildup. |

| Products      |                 |                 |                          |                     |
|---------------|-----------------|-----------------|--------------------------|---------------------|
| Product Name  | Volume Solids % | Weight Solids % | Density g/mL lbs./US gal | VOC g/L lbs./US gal |
| Brake Cleaner | 0               | 0               | 0.808 7.33               | 808.0 7.33          |

| Properties   | <u>when compared to similar technology products.</u> |
|--|--|
| • Fast evaporation for efficient cleaning                            |  |
| • Removes oil, grease, brake fluid, and dust                         |  |
| • Helps reduce brake noise caused by contamination                   |  |
| • Improves safety and performance by ensuring clean contact surfaces |  |
| • Leaves no residue  |  |

| Substrates  |  |
|---|--|
| <ul style="list-style-type: none"><li>• Steel and Aluminium</li></ul>   |  |
| Application   |  |
| <br> | <ul style="list-style-type: none"><li>• Cleaning brake rotors, calipers, pads, drums, and backing plates</li><li>• Degreasing metal components prior to assembly</li><li>• General-purpose cleaning of automotive, industrial, or mechanical parts (as compatible)</li></ul> <p><b>Directions for Use</b></p> <ol style="list-style-type: none"><li>1. Ensure surface is cool and ignition sources are removed.</li><li>2. Shake container well before use (if aerosol).</li><li>3. Spray or brush onto the contaminated part until dirt and residue run off.</li><li>4. Allow solvent to evaporate completely before reassembling components.</li><li>5. Repeat application if heavy contamination persists.</li><li>6. <b>Test on sensitive materials (plastics, rubber, paint) before full use.</b></li></ol> |

Date: 4<sup>th</sup> December 2025

# Technical Data Sheet

Version:02

## Product Data

|                      |             |
|----------------------|-------------|
| Colour               | Water white |
| Theoretical Coverage | N/A         |

## Product Packaging

| Product Code  | Product Name  | Package Size |
|---------------|---------------|--------------|
| AU06090000020 | Brake Cleaner | 20 L         |

## Safety

For automotive and industrial use only by professional painters. Not recommended for sale to or use by the general public. Before using, read and follow all label and Safety Data Sheet (SDS) precautions. If mixed with other components, the mixture will have hazards of all individual components.

Read and understand the Guidelines for the Safe Handling and Use of Isocyanate Containing Paints, including the use of approved respiratory protection and Personal Protective Equipment. Use only in a well-ventilated approved spray booth, according to local regulations.

The information provided in this documentation has been carefully selected and arranged by us. It is based upon our best knowledge on the subject at the date of issuance. The Information is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check if the information is current, and the product is suitable for its intended purpose. The intellectual property in this Information, including patents, trademarks and copyrights, is protected. All rights reserved.

We may modify and/ or discontinue operation of all or portions of this Information at any time in our sole discretion, without notice and assume no responsibility to update the Information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.

This Technical Data Sheet supersedes all previous issues.

Concept Paints  
26-30 Charles Street  
St Marys NSW 2760  
Sydney, Australia

ph. +61 (2) 9673 2555  
fax. +61 (2) 9623 1918  
[office@conceptpaints.com.au](mailto:office@conceptpaints.com.au)  
[www.conceptpaints.com.au](http://www.conceptpaints.com.au)