

Technical Data Sheet

Date: 18th September 2026

Version: 02

Product Name

Full Product Name

Vinyl & Trim Spray Paint Aerosol

Type of Product

Fillable aerosol can

Description

The Concept Vinyl Fillable Aerosol Can is designed to be filled with a wide range of No Mix mixed colours, providing a convenient way to spray vinyl or leather.

Product

- Vinyl & Trim Spray Paint Aerosol

Suitable for

- Concept No Mix, No Mix E Basecoats

Properties

- Injectable (fillable)

Substrates

- Sound existing vinyl surfaces
- Sound existing leather surfaces
- Ideal for vinyl and leather interior and exterior restoration and colour changes

Technical Data Sheet

Date: 18th September 2026

Version: 02

Substrate Preparation



All Substrates

Refer to Technical Data Sheet of relevant product

Product Preparation



Filling

- Inject **80-90g** of the mixed colour into the Vinyl Fillable Aerosol can using the S/C fillable machine (follow directions).
- Invert and shake the can thoroughly once filled, until the agitation ball can be heard (two to three minutes).



Pot life
@ 25°C (77°F)

N/A



Spray viscosity
@ 25°C (77°F)

BSB 4 Cup
Ford 4 Cup

N/A



Application

Spray in an even overlapping pattern from approximately 25 centimetres.



Number of coats

2-3

Apply two even coats to gradually increase film thickness.
Avoid heavy wet coats to minimise risk of runs.



DFT
Recommended

N/A



Flash off time
@ 25°C (77°F)

5 min between coats



Drying

Air Dry
@ 25°C (77°F)

No Mix Basecoats 30-40min

No Mix E Basecoats 30-40min

This data relates only to the material designated herein and does not apply to use in combination with any other material or any process. The data is not to be considered as a warranty or quality specification and we assume no liability in connection with its use.

Technical Data Sheet

Date: 18th September 2026

Version: 02

Remarks



Surface temperature must always be above the minimum of 3°C (5°F) dew point.

Equipment Cleaning



Turn the can upside down and spray until the jet clears. Any overspray may be cleaned up with mineral turps.

Technical Data Sheet

Date: 18th September 2026

Version: 02

Dry Film Properties

After 7 days drying,
when compared to similar technology products.

Refer to Technical Data Sheet of relevant product

Product Data

Colour	Clear
Theoretical Coverage	N/A
Shelf Life	36 months in an unopened container at room temperature away from sunlight.

Product Packaging

Product Code	Product Name	Package Size
AU9028999.300	Vinyl & Trim Spray Paint Aerosol	300g (aerosol)

Safety

Before using, read and follow all label and Safety Data Sheet (SDS) precautions, including respiratory protection and other Personal Protective Equipment such as safety clothing, glasses and gloves.
Use only in a well-ventilated area.

The information provided in this documentation has been carefully selected and arranged by us. It is based upon our best knowledge on the subject at the date of issuance. The Information is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check if the information is current, and the product is suitable for its intended purpose. The intellectual property in this Information, including patents, trademarks and copyrights, is protected. All rights reserved.

We may modify and/ or discontinue operation of all or portions of this Information at any time in our sole discretion, without notice and assume no responsibility to update the Information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.

This Technical Data Sheet supersedes all previous issues.

Concept Paints
26-30 Charles Street
St Marys NSW 2760
Sydney, Australia

ph. +61 (2) 9673 2555
fax. +61 (2) 9623 1918
office@conceptpaints.com.au
www.conceptpaints.com.au