

Date: 1<sup>st</sup> June 2021

# **Technical Data Sheet**

Version:01

Product Name	
Full Product Name	Wax & Grease Remover
Type of Product	Cleaner for paint and metal
Description	Concept Wax & Grease Remover is a solvent-based cleaner for removal of contaminants prior to painting. It can be used for cleaning any paint or metal surface.

Products				
Product Name	Volume Solids %	Weight Solids %	<b>Density</b> g/mL lbs/US ga	VOC g/L lbs/US gal
Wax & Grease Remover	0.0	0.0	0.802 6.637	801.4 6.50

### **Properties**

- Cleans surface from contamination
- Ready for use

#### **Substrates**

• Any prior painted or metal substrates suitable for painting.

Substrate Preparation	
All Substrates	<ul> <li>Soak cloth thoroughly in Concept Wax &amp; Grease Remover, wipe area to be painted.</li> <li>Remove any residue with another clean cloth, to remove severe contamination, change and dispose of the cloth regularly.</li> </ul>



Date: 1st June 2021

## **Technical Data Sheet**

Version:01

### **Product Preparation**



Reducer

Not required – product supplied ready for use.

This data relates only to the material designated herein and does not apply to use in combination with any other material or any process. The data is not to be considered as a warranty or quality specification and we assume no liability in connection with its use.

Product Data		
Colour	Water white	
Theoretical Coverage	Refer to the relevant Technical Data Sheet	
Shelf Life	36 months in an unopened container at room temperature away from sunlight.	

Product Packaging		
Product Code	Product Name	Package Size
AU036900000X	Wax & Grease Remover	500ML,1L, 4L, 20L

### **Safety**

For automotive and industrial use only by professional painters. Not recommended for sale to, or use by the general public. Before using, read and follow all label and Safety Data Sheet (SDS) precautions. If mixed with other components, the mixture will have hazards of all individual components.

Read and understand the Guidelines for the Safe Handling and Use of Isocyanate Containing Paints, including the use of approved respiratory protection and Personal Protective Equipment. Use only in a well-ventilated approved spray booth, according to local regulations.



Date: 1st June 2021

## **Technical Data Sheet**

Version:01

The information provided in this documentation has been carefully selected and arranged by us. It is based upon our best knowledge on the subject at the date of issuance. The Information is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check if the information is current and the product is suitable for its intended purpose. The intellectual property in this Information, including patents, trademarks and copyrights, is protected. All rights reserved.

We may modify and/ or discontinue operation of all or portions of this Information at any time in our sole discretion, without notice and assume no responsibility to update the Information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.

This Technical Data Sheet supersedes all previous issues.

Concept Paints 26-30 Charles Street St Marys NSW 2760 Sydney, Australia ph. +61 (2) 9673 2555 fax. +61 (2) 9623 1918 office@conceptpaints.com.au www.conceptpaints.com.au