

Date: 21st October 2016

Technical Data Sheet

Version: 01

| Product Name | | |
|-------------------|---|--|
| Full Product Name | Wheel Silver (Aerosol) | |
| Type of Product | 1K wheel silver topcoat | |
| Description | Concept Wheel Silver (Aerosol) is a fast drying aluminium chrome spray paint that produces a brilliant shadow chrome type finish. Suitable for any surface where a shadow chrome like finish is required. | |

Properties

- High gloss
- Brilliant chrome finish
- Ready for use (aerosol) and fast dry

Substrates

• Sound existing finishes

| Substrate Preparation | | |
|-----------------------|--|--|
| All Substrates | All surfaces must be thoroughly sanded and cleaned with Concept Wax & Grease Remover prior to application. Mask off surrounding areas to avoid overspray. | |



Date: 21st October 2016

Technical Data Sheet

Version: 01

Product Preparation

| | Shake can | Invert and shake the can thoroughly, until the agitation ball can be heard (two to three minutes). Continue to shake the can during application. | | |
|---------------------------------|-------------------------------------|--|-----------|--|
| A B | Pot life @ 25°C (77°F) | N/A | | |
| S | Spray viscosity @ 25°C (77°F) | BSB 4 Cup Ford 4 Cup | | |
| | Application | Spray in an even overlapping pattern from a distance of approx. 25 cm. | | |
| | Number of coats | 2-3 Apply two to three even coats to gradually increase film thickness. Avoid heavy wet coats to minimise risk of runs. | | |
| | DFT Recommended | 25 μm 1.0 mil | | |
| ? ↑ ? ↑ ? | Flash off time @ 25°C (77°F) | 5 min between coats | | |
| | Drying | Air Dry @ 25°C (77°F) | 15-20 min | |

This data relates only to the material designated herein and does not apply to use in combination with any other material or any process. The data is not to be considered as a warranty or quality specification and we assume no liability in connection with its use.

| Remarks | | |
|-------------|---|--|
| F /℃ | Surface temperature must always be a minimum of 3°C (5°F) above dew point. | |
| Note: | May need recoating from time to time dependent upon intended use and exposure | |

| Equipment Cleaning | |
|---------------------------|---|
| | Turn the can upside down and spray until the jet clears. Any over spray maybe cleaned up with Mineral Turps |



Date: 21st October 2016

Technical Data Sheet

Version: 01

| Dry Film Properties | After 7 days drying, when compared to similar technology products. |
|---------------------|--|
| Colour | Chrome |

| Product Data | | |
|----------------------|--|--|
| Colour | Chrome | |
| Theoretical Coverage | Approx. 2.0 m ² (80 ft ²)/312g @ recommended DFT | |
| Shelf Life | 36 months in an unopened container at room temperature away from sunlight. | |

| Product Packaging | | | |
|-------------------|----------------|------------------------|----------------|
| Product Code 1 | Product Code 2 | Product Name | Package Size |
| A02C/WHEELS | | Wheel Silver (Aerosol) | 312g (aerosol) |

Safety

Before using, read and follow all label and Safety Data Sheet (SDS) precautions, including respiratory protection and other Personal Protective Equipment such as safety clothing, glasses and gloves. Use only in a well-ventilated area.

The information provided in this documentation has been carefully selected and arranged by us. It is based upon our best knowledge on the subject at the date of issuance. The Information is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check if the information is current and the product is suitable for its intended purpose. The intellectual property in this Information, including patents, trademarks and copyrights, is protected. All rights reserved.

We may modify and/ or discontinue operation of all or portions of this Information at any time in our sole discretion, without notice and assume no responsibility to update the Information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.

This Technical Data Sheet supersedes all previous issues.

Concept Paints 26-30 Charles Street St Marys NSW 2760 Sydney, Australia ph. +61 (2) 9673 2555 fax. +61 (2) 9623 1918 info@conceptpaints.com.au www.conceptpaints.com.au